

— FREEZER ——



HCF-100HTQ

- Single Mould Design
- Trapezoid Door Design
- Upto 40% Less Power Consumption
- Upto 100 Hours Cooling Retention (to 0 degree)
- Super Fast Cooling
- European A+ Energy Rating Standard

Temperature Range - \leq - 18 Energy Consumption - 0.42



HCF-148HGA | HCF-175HG

- Top Lid Glass Finish
- Convertible Model (-18 to + 10 Degree)
- Upto 40% Energy Savings
- Upto 100 Hours Cooling Retention
- Trapezoid Door Design
- Most Enegry Efficient

Temperature Range - \leq - 18 + 10 Energy Consumption - 0.76 | 0.53



HCF-148HC | HCF-175HC

- Convertible Model (-18 to + 10 Degree)
- Upto 40% Energy Savings
- Upto 100 Hours Cooling Retention*
- Trapezoid Door Design
- Most Enegry Efficient

Temperature Range - \leq - 18 to + 10 Energy Consumption -0.76 | 0.53



HCC-230HC

- Convertible Model (-18 to + 10 Degree)
- Upto 40% Energy Savings
- Upto 100 Hours Cooling Retention*
- Trapezoid Door Design
- Most Enegry Efficient

Temperature Range - \leq - 18 + 10 Energy Consumption - 0.53



HCF-300HTQ

- Most Enegry Efficient
- Tropicalized Compressor
- Compact Design
- Upto 40% Energy Savings
- Upto 100 Hours Cooling Retention*
- Trapezoid Door Design

Temperature Range - \leq - 18



HCC-400HC | HCC-400HCM HCC-500C | HCC-780HC

- Inside Metal Liner_HCM
- Convertible Model (-18 to + 10 Degree)
- Upto 100 Hours Cooling Retention*
- Trapezoid Door Design
- Most Enegry Efficient

Temperature Range - ≤ - 18 + 10



HCC-290HC

- Convertible model (-18 to +10 degree)
- Trapezoid door design
- Upto 40% energy saving
- Upto 100 hours cooling retention*

Temperature Range - ≤-18 + 10



HCC-320HCDD

- Convertible model (-18 to +10 degree)
- Trapezoid door design
- Upto 40% energy saving
- Upto 100 hours cooling retention*

Temperature Range - ≤ - 18 + 10







HDF-325HC | HDF-385HC

- Freezing and Cooling Compartment
- Interior Light
- Multipurpose Usage
- Green Gas Refrigerant
- Upto 40% Energy Savings
- Upto 100 Hours Cooling Retention*

Temperature Range - 0-10/≤ — 18 Energy Consumption - 2.2/2.5

• 160V - 260V Wide Voltage Range



HCC-345HC | HCC-345HCM HCC-345HCDD | HCC-460HC HCC-588HC | HCC-588HCM

- Inside Metal Liner HCM
- Tropicalized Compressor
- Compact Design
- Upto 40% Energy Savings
- Upto 100 Hour Cooling Retention*
- Trapezoid Door Design
- 5 Sided Freezing, Upto -35 Degree
- •160V 260V Wide Voltage Range

Temperature Range - ≤ - 18/0-10 Energy Consumption - 10.53/1.45/1.63



HCF-300GHC | HCF-300GAM HCF-400GHC | HCF-400GAM



- Curved Glass Door
- POP As Per Requirement
- Super Fast Cooling
- Power Saving
- Tropicalized Compressor
- GAM Small Mesh Baskets

Temperature Range - \leq -18 Energy Consumption - 2.6 | 2.6 | 3.1 | 3.1



HCF-300GHCM HCF-400GHCM

- Inside Metal Liner
- Integrated Door Frame
- Curved Glasss Door
- POP as per requirement
- Super Fast Cooling
- Power Saving
- Tropicalized Compressor

Temperature Range - \leq - 18 Energy Consumption - 2.6/3.1



HCF-310FGHC HCF-410FGHC

- Integrated Door Frame
- POP As Per Requirement
- Super Fast Cooling
- Power Saving
- Clear Visibility
- Elegant Flat Glass (Toughened)

Temperature Range - ≤ - 18 Energy Consumption - 2.5/2.7



HCF-310FGMHC HCF-410FGMHC

- Inside Metal Liner
- Integrated Door Frame
- POP As Per Requirement
- Super Fast Cooling
- Power saving
- Clear Visibility
- Elegant Flat Glass (Toughened)
- Temperature Indicator

Temperature Range - \leq - 18 Energy Consumption - 2.5 | 2.7













HCF-551FGTQ

- Convenient Storage And Display Solutions
- Integrated Door Frame
- Super Fast Cooling
- Upto 40% Less Power Consumption
- Semi Curved
- Accommodates Upto 24 Flavours

Temperature Range - ≤ —18 Energy Consumption - 2.95



HCF-600IGT

- Island Freezer
- Improved Display Area
- Quick Freezing
- Extra Storage Space
- Accommodates Upto 32 Flavours

Temperature Range - ≤ - 18





HVC-100G

- Energy Efficient
- Excellent Aesthetic
- State-of-the-Art Design
- Forced Air Ventilation
- Adjustable Shelves
- Uniform Temperature

Temperature Range - 0-10 Energy Consumption - 0.95



HVC-1100G HVC-710G

- Double Door Visi Cooler
- Uniform Temperature Across All shelves
- Double Layer Glass Door
- Air Cooling Technology
- Adjustable Shelves
- With Light Canopy
- Heavy Duty Commercial Application

Temperature Range - 0-10 Energy Consumption - 6



HVC-250G HVC-340GHC HVC-412GHC

- Uniform Temperature Across All Shelves
- Double Layer Glass Door
- Air Cooling Technology
- Adjustable Shelves
- With Light Canopy
- Heavy Duty Commercial Application

Temperature Range - 0-10 Energy Consumption - 2.2/3.5/4.5














HF-100W | BD-88-DEM

- Separate Shelves for Veg & Non Veg
- LED Temperature Display/Controller
- Suitable For Modern Kitchens
- Compact & Portabe Model
- Can Fit Under Counter in Modular Kitchen





HF-155W | BD-168-WL

- Premium Aesthetics with Gold Finished Door
- LED Panel on Door
- Temperature Display/Controller
- Separate Food Compartment
- Frost Free Machine
- No Need for Manual Defrosting

Temperature Range \leq - 18 / 0 - 4 Energy Consumption 0.72 KWH/24 hour



H2F-220WAA

- LED Temperature Display
- With Drawers
- Convenient Storage
- Seperate Food Compartment
- Frost Free
- Fast Freeze Option
- Gross Capacity 250L

Temperature Range - ≤ - 18



H2F-255WAA

- LED Temperature Display
- With Drawers
- Convenient Storage
- Seperate Food Compartment
- Frost Free
- Fast Freeze Option
- Gross Capacity 350L

Temperature Range - ≤ - 18



WS-137GDAI (Dual Zone)

- Excellent Aesthetic
- State-of-the-Art Design
- Electronic Temperature Control
- Wooden Shelves
- Dual Zone Temperature





WS-53GDAI (Dual Zone)

- Excellent Aesthetic
- State-of-the-Art Design
- Electronic Temperature Control
- Wooden Shelves
- Dual Zone Temperature

Temperature Range 4 to 18



JC-87A (Single Zone)

- Stylish & Smart Design
- Wooden Shelves
- Options for Red & White Wine
- Low Vibration Compressor
- Anti-UV Glass Door
- Built-in Light to Improve Display
- Digital Temperature Display

Temperature Range 4 to 18





LC-133K

- Adjustable shelves
- $\bullet \ {\it Customised storage solution}$
- Interior light
- Child lock feature
- Low- e glass door
- Temp range: 4-18



LC-138WB

- Adjustable shelves
- $\bullet \ {\it Customised storage solution} \\$
- Interior light
- Child lock feature
- Low- e glass door
- Temp range: 2-18

Temperature Range 2 to 18



For answers to any questions, you contact us: info@haierindia.com

To know more about our world class range of appliances, visit our website: www.haier.com/in